Index

Note: Page numbers of article titles are in **boldface** type.

A

- Acetaminophen (paracetamol), for pain, in ferrets, 108–109
  - in rodents, 86–87
- Acetic acid test (AAT), in pain model, in amphibians, 36–37, 39
- Acupoints, in acupuncture, 145–146, 150
- Acupuncture, for zoologic companion animals, **141–154**
  - acupoints in, 145–146, 150
  - CAVM vs., 142
  - conditions commonly considered for, 151
  - contraindications for, 147
  - critics of, 141–142
  - definition of, 143
  - history of, 144–145
  - legality in U.S., 142–143
  - mechanism of action, 145–147
    - pain and, 147–148
  - need for, 141
  - patient selection for, 150–151
  - safety of, 147
  - summary overview of, 141–142, 151
  - traditional Chinese, 143–145, 150
  - training for, 143, 147
  - unique aspects of, anatomic, 150
    - behavioral, 148–150
  - transpositional, 145
- α2-Adrenergic agonists, for pain, in ferrets, 110, 112
  - in rabbits, 100
  - in reptiles, 53, 56
- Adrenergic system, stress and, in fish, 22
- Adrenocorticotropic hormone (ACTH), stress and, in fish, 22
- Adverse effects, of analgesia, detection of, in controlled clinical trials, 4
- Algesiometric model, of pain, in amphibians, 36
- Allometric analysis, in pharmacokinetic studies, 10–14
  - scaling of, 13–14
- Allometric scaling, application of, 13–14
- α2-Adrenergic agonists, for pain, in ferrets, 110, 112
  - in rabbits, 100
  - in reptiles, 53, 56
- Amphibians, analgesia in, **33–44**
  - acupuncture as, 148–149
  - clinical applications of, 38–39
  - neuroanatomy and, 34–36

Vet Clin Exot Anim 14 (2011) 155–177
doi:10.1016/S1094-9194(10)00137-4 vetexotic.theclinics.com
1094-9194/11/$ – see front matter © 2011 Elsevier Inc. All rights reserved.

Amphibians (*continued*)
    neurotransmitters and, 35
    pain and, 34–39
        models of, 36
        nociception in, 34–36
        nonopioids in, 37–38
        opioids in, 36–37
        tramadol in, 124
    risk-benefit ratio of, 39
Analgesia, adverse effects of, detection in controlled clinical trials, 4
  in amphibians, **33–44**
    clinical applications of, 38–39
    neuroanatomy and, 34–36
    neurotransmitters and, 35
    pain and, 34–39
        models of, 36
        nociception in, 34–36
        nonopioids in, 37–38
        opioids in, 36–37
    preclinical studies of, 36–38
    risk-benefit ratio of, 39
    summary overview of, 33–34, 39–40
  in avians, **61–80**
    pain and, balanced therapies for, 76–77
        evaluation of, 62–63
        inhaled anesthesia in, 63
        local anesthetics in, 75–76
        multimodal administration in, 76–77
        NSAIDs in, 71–72
            adverse effects of, 72–73
            combinations of, 76
            formulations of, 73–75
            indications for, 71
            PK and PD studies of, 63, 66–68, 71–72
            selection and dosage of, 71
        opioids in, 68–69
            combinations of, 76
            formulations of, 69–71
            indications for, 68
            PK and PD studies of, 63–65
            receptors for, 68–69
        other agents in, 76
        preventive (preemptive), 63, 68
        recognition of, 61–62
        regional anesthesia in, 75–76
    summary overview of, 77
  in ferrets, pain and, **105–116**
        α2-adrenergic agonists in, 110, 112
        epidural administration in, 106, 113
        local anesthetics in, 113
        locoregional techniques in, 113

        multimodal administration in, 108
        NMDA-receptor agonists in, 110, 112–113
        NSAIDs in, 109–111
        opioids in, 110–112
        pathophysiology of, 108
        preventive (preemptive), 108
        recognition of, 105–107
        summary overview of, 105, 113–114
        therapeutic agents in, 109–110
        tramadol in, 110, 112
        unique physiology in, 108–109
in fish, **21–32**
    neuroanatomy and, 23–25
    neurotransmitters and, 24–25
    pain and, administration methods for, 26
        anesthetic agents in, 23, 26
        anorexia in, 26
        behavioral evidence of, 25–26
        common agents and dosages in, 27–28
        debates about, 27–28
        nociception in, 23–24, 26–27
        NSAIDs in, 27–28
        opiates in, 27–28
        tramadol in, 27–28
    species overview of, 21
    stress and, 22–23
in humans, complementary and alternative medicine in, 142, 144–145
    tramadol in, 119
in rabbits, **93–104**
    pain and, α2-adrenergic agonists in, 100
        local anesthetics in, 99–100
        miscellaneous drugs in, 100–101
        nociception in, 94, 96
        nonpharmacologic management of, 96
        NSAIDs in, 97, 99
        opioids in, 96–99
        physiology of, 93–94
        recognition of, 94–96
        systemic drugs in, 96–97
        therapeutic approaches to, 96
    summary overview of, 93, 101
    untreated pain vs., 93–94
in reptiles, **45–60**
    classes of drugs for, 51
    clinical approaches to, 45–46
    licensing of, 89
    local anesthetics in, 53–55
    NSAIDs in, 55–56
    opioids in, 51–54
    other agents in, 53, 56
    pain and, assessing, 46

Analgesia (*continued*)
      behavioral evidence of, 45–48
      challenges of studying, 46–49
      nociception and, 45, 47
    route of administration of, 50–51
    species overview of, 49–50
    summary overview of, 50, 56
    therapeutic approaches to, 46, 50
  in rodents, **81–92**
    additional concerns about, 90
    laboratory models of, in pharmacodynamic studies, 14
      study relevance of, 89
      translations to clinical pain, 89
    pain and, anorexia in, 81, 84
      assessment of, 82–84
      constant-rate infusions in, 89
      epidural administration in, 89
      inhaled anesthesia in, 88
      local anesthetics in, 88
      multimodal administration in, 88
      NSAIDs in, 85–88
      opioids in, 85–87
      preventive (preemptive), 88
      recognition of, 81–82
      systemic agents in, 84–88
    pet vs. laboratory populations, 89
    summary overview of, 81
    therapeutics in, 84–89
    unique physiology of, 84
  in zoologic species. See also *specific species.*
    acupuncture and, 146–151. See also *Acupuncture.*
    clinical data interpretation for, **1–20**. See also *Pharmacodynamic (PD) studies; Pharmacokinetic (PK) studies.*
    need for, 117
    rehabilitation and physical medicine and, 131–132. See also *Physical medicine; Rehabilitation.*
  licensing of, 89
  toxicology studies of, 4
  tramadol as, **117–130**. See also *Tramadol.*
Analgesimetry, in PD NSAIDs studies, in avians, 72
    in rodents, 89
Anatomical aspects, of acupuncture therapy, 145, 150
Anesthetic agents, for pain, in avians, 63, 75–76
    in ferrets, 113
    in fish, 26
      effect on stress cascade, 23
    in rabbits, 99–100
    in reptiles, 53–55
    in rodents, 88–89
Anesthetic sparing studies, in avians, 63
Anorexia, pain associated with, in ferrets, 106

        in fish, 26
        in rabbits, 95
        in rodents, 81, 84
Antidepressants, tricyclic, for pain, in reptiles, 56
Antihistamines, for pain, in amphibians, 37–38
Antinociception, 34. See also *Analgesia.*
Antipsychotics, for pain, in amphibians, 37–38
Aquapuncture, 143, 148
Area under the curve (AUC), in pharmacokinetic studies, 4, 7
Autonomic nervous system, acupuncture impact on, 146
    in fish, 23–24
Avian analgesia, **61–80**
    pain and, acupuncture in, 148, 150–151
        balanced therapies for, 76–77
        evaluation of, 62–63
        inhaled anesthesia in, 63
        local anesthetics in, 75–76
        multimodal administration in, 76–77
        NSAIDs in, 71–72
            adverse effects of, 72–73
            combinations of, 76
            formulations of, 73–75
            indications for, 71
            PK and PD studies of, 63, 66–68, 71–72
            selection and dosage of, 71
        opioids in, 68–69
            combinations of, 76
            formulations of, 69–71
            indications for, 68
            PK and PD studies of, 63–65
            receptors for, 68–69
        other agents in, 76
        preventive (preemptive), 63, 68
        recognition of, 61–62
        regional anesthesia in, 75–76
        summary overview of, 77
        tramadol in, 125
Avoidance behavior, pain and, in fish, 25–26
        in rabbits, 94

B

Balanced analgesia, for avians, 76–77
    for ferrets, 108
    for rodents, 88
Barbiturates, for pain, in amphibians, 37–38
Bearded dragon, acupuncture for, 143
Behavioral aspects, of acupuncture therapy, 148–150
Behavioral evidence, of pain, in avians, 61–62
        in ferrets, 106–107
        in fish, 25–26
        in rabbits, 94–96

Behavioral (*continued*)
        in reptiles, 45–48
        in rodents, 82–83
    of stress, in fish, 22–23
Benzodiazepines, for pain, in amphibians, 37–38
Bias avoidance, in controlled clinical trials, on analgesia, 3
Birds, analgesia for. See *Avian analgesia.*
Bremazocine, for pain, in amphibians, 37
Bupivacaine, for pain, in avians, 75–76
        in ferrets, 113
        in rabbits, 99–100
        in reptiles, 53, 55
Buprenorphine, for pain, allometric analysis of, 10–13
        efficacy studies of, 14–15
        in amphibians, 37–38
        in avians, 70
            PK and PD studies of, 65
        in ferrets, 110–111
        in fish, 27–28
        in rabbits, 97–98
        in reptiles, 52, 54
        in rodents, 85–88
Butorphanol, for pain, in amphibians, 36–39
        in avians, 68–70
            PK and PD studies of, 64
        in ferrets, 110–111
        in fish, 27–28
        in rabbits, 97–98
        in reptiles, 51–52
        in rodents, 85–87

C

Camels, analgesia for, tramadol in, 122
Cardiovascular effects, of tramadol, 118
Carprofen, for pain, in avians, 74
            PK and PD studies of, 66
        in ferrets, 109–111
        in fish, 27–28
        in rabbits, 97
        in reptiles, 53
        in rodents, 85–87
Cats, analgesia for, tramadol in, 121
        transpositional acupuncture in, 145
CAVM. See *Complementary and alternative veterinary medicine (CAVM).*
Central nervous system (CNS), acupuncture impact on, 146–147
    in fish, anatomy of, 23
        pain pathways in, 23–24, 26–27
        stress and, 22
    in mammals, opioid peptide families of, 118
    in rabbits, pain pathways in, 94, 96
    tramadol action on, 117–119

Chemical stimulation model, in pharmacodynamic studies, 14–16
Chemical threshold testing, in reptiles, 47
Chinchillas, pain assessment of, 84
Chinese acupuncture, traditional, 143–145
Chlordiazepoxide, for pain, in amphibians, 38
Chlorpromazine, for pain, in amphibians, 37–38
Clearance (Cl), in pharmacokinetic studies, 4, 6–7
Clinical data interpretation, on analgesia, **1–20**. See also *Pharmacodynamic (PD) studies; Pharmacokinetic (PK) studies.*
Clinical impressions, in pain assessment, 82
Clinical signs, of pain, in rodents, 83
    untreated, 93–94
Clinical trials, on analgesia, adverse effects detection in, 4
    controlled, 2–3
        randomization of test groups in, 3
    placebo-controlled, 3
    toxicology studies in, 4
Clonidine, for pain, in amphibians, 38
Codeine, for pain, in amphibians, 37
Cold packs, for amphibians, 39
  for zoologic companion animals, 132
Combination analgesia, for avians, 76–77
  for ferrets, 108
  for rodents, 88
Companion animals, domestic. See *Domestic animals.*
  zoologic. See *Zoologic companion animals.*
Complementary and alternative medicine (CAM), 141–142
Complementary and alternative veterinary medicine (CAVM), acupuncture as, 141. See also *Acupuncture.*
  critics of, 141–142
  legality in U.S., 142–143
  range of therapies in, 142
  safety of, 142
  training for, 143
Concentration-response method/model, in pharmacodynamic studies, 16
Constant-rate infusions, of analgesia, for rodents, 89
Controlled clinical trials, of analgesia, 2–3
    randomization of test groups in, 3
Coordination exercises, for zoologic companion animals, 134
Cortical neurons/tissue, in amphibians, pain appreciation and, 35–36
Corticotropin-releasing factor (CRF), stress and, in fish, 22
COX-1 and COX-2 inhibitors. See also *Nonsteroidal antiinflammatory drugs (NSAIDs).*
  concentrations of, in PD NSAIDs studies, in avians, 72
    prostaglandins and, 72–73, 85, 109
Cryotherapy, for zoologic companion animals, 132
CSF drug concentration, in integrated pharmacokinetic-pharmacodynamic studies, 16
Cutaneous conditions, acupuncture for, 151

D

Degenerative joint disease (DJD), analgesia for, acupuncture in, 150
    in ferrets, 107

Demethylation, hepatic, of tramadol, 118
Dental pathology, in ferrets, nerve blocks for, 113
        pain assessment in, 107
Dexmedetomidine, for pain, in amphibians, 38
Diclofenac (DF), for pain, in avians, 73
Diphenhydramine, for pain, in amphibians, 38
Dogs, analgesia for, tramadol in, 119–121
        transpositional acupuncture in, 145
Domestic animals, analgesia for, rodent studies of, vs. laboratory populations, 89
        tramadol in, for camels, 122
            for cats, 121
            for dogs, 119–121
            for donkeys, 122
            for goats, 121–122
            for horses, 122–123
            for llamas, 122
        transpositional acupuncture in, 145
Donkeys, analgesia for, tramadol in, 122
Dose determination, allometric scaling for, in pharmacokinetic studies, 13–14
Dose-response method/model, in pharmacodynamic studies, 16
    in pharmacokinetic studies, 16–17
Drug administration methods, for tramadol, 123–124
    in fish, 26
    in reptiles, 50–51
Drug concentration, concentration-response method/model of, 16. See also *Pharmacodynamic (PD) studies.*
    CSF, in integrated pharmacokinetic-pharmacodynamic studies, 16
    mathematical model prediction of, 4. See also *Pharmacokinetic (PK) studies.*
    maximum, in pharmacokinetic studies, 4, 7–8
    of COX-1 and COX-2 inhibitors, in avian studies, 72
    of opiates, concentration-effect relationship in, 16–17
    plasma. See *Plasma drug concentration.*
Drugs, analgesic. See *Analgesia.*
    clinical data interpretation for, **1–20**. See also *Pharmacodynamic (PD) studies; Pharmacokinetic (PK) studies.*
Dry needle acupuncture, 143, 148–150
Dynorphins, in CNS of mammals, 118

E

Efficacy, in pharmacodynamic studies, 14–15
        pharmacokinetic studies integrated with, 16–17
Electrical stimulation model, in pharmacodynamic studies, 14
Electroacupuncture, 143, 146–147, 149
Enadoline, for pain, in amphibians, 37
Endorphins, acupuncture impact on, 146
    in CNS of mammals, 118
Energetic-based medicine, acupuncture as, 144–145, 150
Enkephalins, acupuncture impact on, 146
    in CNS of mammals, 118
Enteric nervous system, in fish, 23–24

Environmental considerations, in pain management, for rabbits, 96
Enzyme linked immunoassays (ELISAs), in pharmacokinetic studies, 8
Epidural analgesia, for pain, in ferrets, 106, 113
    in rodents, 89
Exercise therapy, for zoologic companion animals, 134
Extrapolation, of data, between species, in PK-PD modeling, 17

F

Fear aversion, in fish, 25–26
  in rabbits, 94
Feather grooming, pain with, 62
Fentanyl, for pain, efficacy studies of, 14–15
    in amphibians, 37
    in avians, 69
      PK and PD studies of, 65
    in ferrets, 110, 112–113
    in rabbits, 98
Ferrets, pain management in, **105–116**
    acupuncture in, 148, 151
    α2-adrenergic agonists in, 110, 112
    epidural administration in, 106, 113
    local anesthetics in, 113
    locoregional techniques in, 113
    multimodal administration in, 108
    NMDA-receptor agonists in, 110, 112–113
    NSAIDs in, 109–111
    opioids in, 110–112
    pain assessment in, 106–107
    pain pathophysiology in, 108
    pain recognition in, 105–107
    preventive (preemptive), 108
    summary overview of, 105, 113–114
    therapeutic agents in, 109–110
    tramadol in, 110, 112
    unique physiology in, 108–109
Fight or flight response, to stress, in fish, 22
Fish analgesia, **21–32**
  neuroanatomy and, 23–25
  neurotransmitters and, 24–25
  pain and, administration methods for, 26
    anesthetic agents for, 23, 26
    anorexia in, 26
    behavioral evidence of, 25–26
    common agents and dosages in, 27–28
    debates about, 27–28
    nociception in, 23–24, 26–27
    NSAIDs in, 27–28
    opiates in, 27–28
    tramadol in, 27–28, 124
  species overview of, 21
  stress and, 22–23

Flunixin meglumine, for pain, in amphibians, 39
    in avians, PK and PD studies of, 66, 72
    in ferrets, 110–111
    in fish, 27–28
    in reptiles, 53
    in rodents, 86–87
Fluorescence polarization immunoassays (FPIAs), 8
Frogs, analgesia for, clinical applications of, 38–39
    nonopioids in, 37–38
    opioids in, 36–37

G

Gabapentin, for pain, in avians, 76
    in reptiles, 56
Gas chromatography (GC), in pharmacokinetic studies, 8
Gastrointestinal effects, of acupuncture, 146, 151
  of tramadol, 118
Gate Control Theory, 146
Geriatric medicine, acupuncture in, 150
Goats, analgesia for, tramadol in, 121–122
Guinea pigs, pain assessment of, 84

H

Haloperidol, for pain, in amphibians, 37–38
Handling considerations, in pain management, for rabbits, 96
Head tilt, in zoologic companion animals, rehabilitation and physical medicine for, 138
Head trauma, in zoologic companion animals, rehabilitation and physical medicine for, 138
Heat therapy, for zoologic companion animals, 134–135
High-pressure liquid chromatography (HPLC), in pharmacokinetic studies, 8
Hind limb paresis, acupuncture for, 151
Histamine antagonists, for pain, in amphibians, 37–38
Horses, analgesia for, tramadol in, 122–123
    transpositional acupuncture in, 145
Hot packs, for zoologic companion animals, 134–135
Humans, analgesia for, tramadol in, 119
  complementary and alternative medicine for, 142
  Traditional Chinese Medicine for, 144–145
Husbandry, in pain management, for rabbits, 96
Hydromorphone, for pain, in ferrets, 110, 112
Hypothalamic pituitary-interrenal (HPI) axis, stress and, in fish, 22
Hypothermia, as analgesia, for amphibians, 39
    for zoologic companion animals, 132

I

Immunoassays, in pharmacokinetic studies, 8
Incontinence, urinary, acupuncture for, 151
Indomethacin, for pain, in amphibians, 38
Inhaled anesthesia, for pain, in avians, 63
    in rodents, 88
Injury(ies). See *Trauma.*

K

Ketamine, for pain, in ferrets, 110, 112–113
    in rabbits, 100–101
    in reptiles, 53, 56
Keterorolac, for pain, in amphibians, 38
Ketoprofen, for pain, in avians, 73–74
        PK and PD studies of, 67
    in ferrets, 110–111
    in fish, 27–28
    in rodents, 85–87
Kidney function, NSAIDs impact on, in avians, 72–73

L

Laboratory models, in neurophysiologic studies of nociception, ferrets in, 106
    rodents in, 14
        pet rodents vs., 89
        relevance of, 89
        translations to clinical pain, 89
Laser therapy, for zoologic companion animals, 133–134
Levorphanol, for pain, in amphibians, 37
Licensing, of analgesic agents, for domestic rodents, 89
Lidocaine, for pain, in avians, 75
    in ferrets, 113
    in rabbits, 99–100
    in reptiles, 53, 55
Llamas, analgesia for, tramadol in, 122
Loading dose, in pharmacokinetic studies, 5
Local anesthetics, for pain, in avians, 75–76
    in ferrets, 113
    in rabbits, 99–100
    in reptiles, 53–55
    in rodents, 88

M

Mammals, analgesia for. See also *specific mammal, e.g.,* Rabbit analgesia.
    acupuncture in, 148–151
        transpositional, 145
    tramadol in, 125–126
  CNS of, opioid peptide families in, 118
Mass spectrometry, in pharmacokinetic studies, 8
Massage therapy, for zoologic companion animals, 135–136
Mathematical models, to predict plasma drug concentration, 4. See also *Pharmacokinetic (PK) studies.*
Maximum plasma concentration (CMAX), in pharmacokinetic studies, 4, 7–8
Mechanical stimulation model, in pharmacodynamic studies, 14–15
Mechanical threshold testing, in reptiles, 47, 49
Medetomidine, for pain, in ferrets, 110, 112
    in rabbits, 100
    in reptiles, 53, 56
Meloxicam, for pain, in avians, 74

Meloxicam (*continued*)
            PK and PD studies of, 67, 72
        in ferrets, 109–111
        in fish, 27–28
        in rabbits, 97, 99
        in reptiles, 53, 55–56
        in rodents, 85–87
Meperidine, for pain, in amphibians, 37
        in reptiles, 52
Meridians, of body, acupuncture and, 144–145
            acupoints in, 146, 150
Metabolism, unique, of analgesic agents, in ferrets, 108–109
            in rodents, 84
Metaphysical-based medicine, acupuncture as, 144–145
Methadone, for pain, in amphibians, 37
Mice, analgesia for, acupuncture in, 151
    pain assessment of, 84
Mixed effects modeling, in pharmacokinetic studies, 10
Models/modeling, in integrated pharmacodynamic-pharmacokinetic studies,
    advantage of, 17
        for potency and efficacy, 16–17
    in pharmacodynamic studies, 14–16
    in pharmacokinetic studies, mixed effects, 10
    mathematical, to predict plasma drug concentration, 4
Monoamine oxidase inhibitors, tramadol interaction with, 119
Morphine, for pain, efficacy studies of, 14–15
        in amphibians, 37–38
        in avians, 69
        in ferrets, 110–111
            epidural administration of, 106, 113
        in fish, 27–28
        in rabbits, 97–99
        in reptiles, 52, 54
        in rodents, 85–87
Mortality, NSAIDs associated with, in avians, 73
Mu opioid receptor agonists, for pain, in rabbits, 98
Multimodal analgesia, for avians, 76–77
    for ferrets, 108
    for rodents, 88
Musculoskeletal diseases/disorders, acupuncture for, 150–151

N

Naïve averaged analysis, in pharmacokinetic studies, 9–10
Naïve pooled analysis, in pharmacokinetic studies, 9–10
Nalbuphine, for pain, in avians, 70–71
            PK and PD studies of, 65
        in rabbits, 97
Nalorphine, for pain, in amphibians, 37
Needles, for acupuncture, 143, 148–150
Nerve blocks, dental, for ferrets, 113
Nerve fibers, pain conduction by. See *Nociception.*

  species-specific anatomy of. See *Neuroanatomy.*
Neuroanatomy, acupuncture and, 145, 150
  of amphibians, 34–36
  of avians, 61, 68
  of ferrets, 108
  of fish, 23–25
  of reptiles, 45
Neuroendocrine pathways, of stress, in fish, 22
  tramadol action on, 117–119
Neuroimaging, of acupuncture effects, 147
Neurologic injuries, in zoologic companion animals, rehabilitation and physical medicine for, 133–134, 137–138
Neuromodulation, acupuncture resulting in, 146
Neuropathic pain syndromes, in avians, 76
  in rabbits, 94
  in reptiles, 56
Neurophysiology, of acupuncture, 146–147
  of nociception, laboratory models of, ferrets in, 106
      rodents in, 14
        pet rodents vs., 89
        relevance of, 89
        translations to clinical pain, 89
Neurotransmitters, acupuncture impact on, 146, 149–150
  in amphibians, 35
  in fish, 24–25
  in rabbits, 96
  tramadol action on, 117–119
    zoologic species and, 123
NMDA-receptor antagonists, for pain, in ferrets, 110, 112–113
    in rabbits, 100–101
    in reptiles, 53, 56
NMDA-receptors, tramadol action on, 119
Nociception, pain and, in amphibians, 34–36
    in avians, 61
    in ferrets, 108
    in fish, 23–24, 26–27
    in rabbits, 94, 96
    in reptiles, 45, 47
    laboratory models for studies of, ferrets in, 106
      rodents in, 14
        pet rodents vs., 89
        relevance of, 89
        translations to clinical pain, 89
    tramadol impact on, 117–119
Nociceptive threshold (NT), in amphibians, 36
Nonopioid analgesia, for pain, in amphibians, 37–38
Nonsteroidal antiinflammatory drugs (NSAIDs), for pain, controlled clinical trials on, 2–4
    in amphibians, 37–38
    in avians, 71–72
      adverse effects of, 72–73
      combinations of, 76

Nonsteroidal (*continued*)
        formulations of, 73–75
        indications for, 71
        PK and PD studies of, 63, 66–68, 71–72
        selection and dosage of, 71
    in ferrets, 109–111
        metabolism of, 108–109
    in fish, 27–28
    in rabbits, 97, 99
    in reptiles, 53, 55–56
    in rodents, 85–88
Norepinephrine, tramadol action on, 117–119
    zoologic species and, 123
Noxious stimuli, models of, in pharmacodynamic studies, 14–16
  painful. See *Pain entries.*
    processing of. See *Nociception.*
  species-specific response to. See *Stress; specific species.*

O

Objective indicators, of pain, in animals, 81–82
    in ferrets, 107
    in fish, 22–23, 25–26
    in rabbits, 94–95
Oocyte harvesting, from frogs, analgesia for, 39
Opiates/opioids, for pain, efficacy studies of, 14–15
        concentration-effect relationship in, 16–17
    in amphibians, 36–37
    in avians, 68–69
        combinations of, 76
        formulations of, 69–71
        indications for, 68
        PK and PD studies of, 63–65
        receptors for, 68–69
    in ferrets, 110–112
        epidural administration of, 106, 113
    in fish, 27–28
    in rabbits, 96–99
    in reptiles, 51–53
    in rodents, 85–87
Opioid peptides, families of, in CNS of mammals, 118
Opioid receptors, distribution of, in avians, 68–69
    in rabbits, 96
  tramadol action on, 117–118
Orthopedic injuries, acupuncture for, 150
  in zoologic companion animals, rehabilitation and physical medicine for, 133–134, 136–137
Oxymorphone, for pain, in ferrets, 110, 112
    in fish, 27–28
    in rodents, 86–87

P

Pain assessment, behavior-based systems in, 82. See also *Behavioral evidence.*
  clinical impressions in, 82. See also *Clinical signs.*
  in avians, 62–63
  in ferrets, 106–107
  in fish, behavioral evidence of, 25–26
    objective indicators in, 23, 25–26, 33
  in rabbits, 94–96
  in reptiles, 46, 48
    behavioral evidence of, 45–48
  in rodents, 81–84
    chinchillas, 84
    clinical signs in, 82–83
    guinea pigs, 84
    mice, 84
    rats, 83–84
  in zoologic companion animals, for rehabilitation and physical medicine, 131–132
  objective indicators in, 81–82. See also *Objective indicators.*
Pain management. See also *Analgesia.*
  acupuncture for, 147–148
  in amphibians, 34–39
    models of, 36
    nociception in, 34–36
    nonopioids in, 37–38
    opioids in, 36–37
  in avians, balanced therapies for, 76–77
    inhaled anesthesia in, 63
    local anesthetics in, 75–76
    multimodal administration in, 76–77
    NSAIDs in, 71–75
      combinations of, 76
      PK and PD studies of, 63, 66–68, 71–72
    opioids in, 68–71
      combinations of, 76
      PK and PD studies of, 63–65
    other agents in, 76
    preventive (preemptive), 63, 68
    regional anesthesia in, 75–76
    summary overview of, 77
  in ferrets, **105–116**
    α2-adrenergic agonists in, 110, 112
    epidural administration in, 106, 113
    local anesthetics in, 113
    locoregional techniques in, 113
    multimodal administration in, 108
    NMDA-receptor agonists in, 110, 112–113
    NSAIDs in, 109–111
      metabolism of, 108–109
    opioids in, 110–112
    preventive (preemptive), 108

Pain management (*continued*)
        summary overview of, 105, 113–114
        therapeutic agents in, 109–110
        tramadol in, 110, 112
        unique physiology in, 108–109
    in fish, administration methods for, 26
        anesthetic agents in, 23, 26
        common agents and dosages in, 27–28
        debates about, 27–28
        nociception in, 23–24, 26–27
        NSAIDs in, 27–28
        opiates in, 27–28
        tramadol in, 27–28
    in rabbits, α2-adrenergic agonists in, 100
        local anesthetics in, 99–100
        miscellaneous drugs in, 100–101
        nociception in, 94, 96
        nonpharmacologic management of, 96
        NSAIDs in, 97, 99
        opioids in, 96–99
        physiology of, 93–94
        systemic drugs in, 96–97
        therapeutic approaches to, 96
    in reptiles, approaches and agents for, 51–56
        challenges of studying, 46–49
        nociception and, 45, 47
    in rodents, constant-rate infusions in, 89
        epidural administration in, 89
        inhaled anesthesia in, 88
        local anesthetics in, 88
        multimodal administration in, 88
        NSAIDs in, 85–88
        opioids in, 85–87
        preventive (preemptive), 88
        systemic agents in, 84–88
Pain physiology, acupuncture and, 146–147
    in ferrets, 108
    in rabbits, 93–94
    in zoologic companion animals, 147
    nervous systems in. See *Central nervous system (CNS); Neurophysiology.*
Pain processing, neural. See *Nociception.*
Pain questionnaires, 47
Pain recognition, in avians, 61–62
    in ferrets, 105–107
    in rabbits, 94–96
    in rodents, 81–82
    in zoologic companion animals, 131–132
        acupuncture and, 147–148
Pain scales, for ferrets, 106–107
    for reptiles, 47
Pain scores/scoring, behavior-based, 82. See also *Behavioral evidence.*

- clinical-based, 82
- for avians, 62

Parasympathetic nervous system, in fish, 23–24
Paresis, hind limb, acupuncture for, 151
Partial opioid agents, for pain, in amphibians, 37–38
- in avians, 68
- in rabbits, 97

PD. See *Pharmacodynamic (PD) studies.*
Peak and trough ratio, in pharmacokinetic studies, 5–6
Pentazocine, for pain, in rabbits, 97
Pentobarbital, for pain, in amphibians, 38
Peripheral nervous system, in fish, 23–24
- in rabbits, 94

Pharmacodynamic (PD) studies, of NSAIDs, in avians, 63, 66–68, 71–72
- of opioids, in avians, 63–65
- of zoologic companion animal species therapeutics, **1–20**
  - designs for, 2–4
  - efficacy and potency in, 14–15
    - modeling of, 16–17
  - models for, 14–16
  - pharmacokinetic studies integrated with, 2, 14–17
    - models for, 14–16
    - potency and efficacy modeling in, 16–17
  - pharmacokinetic studies vs., 4–14
  - purpose of, 14
  - species-specific differences in, 17
  - summary overview of, 1–2, 14, 17–18

Pharmacokinetic (PK) studies, of NSAIDs, in avians, 63, 66–68, 71–72
- of opioids, in avians, 63–65
- of zoologic companion animal species therapeutics, **1–20**
  - allometric analysis of, 10–14
    - scaling in, application of, 13–14
  - analytical methods for, 8–9
  - basic designs for, 2–4
  - common design for, 4, 9
  - naïve averaged analysis of, 9–10
  - naïve pooled analysis of, 9–10
  - pharmacodynamic studies integrated with, 2, 14–17
    - models for, 14–16
    - potency and efficacy modeling in, 16–17
  - pharmacodynamic studies vs., 14
  - population analysis of, 10
  - primary parameters for, 4–8
  - purpose of, 8–9
  - species-specific differences in, 17
  - summary overview of, 1–2, 17–18

Physical medicine, for zoologic companion animals, **131–140**
  - analgesia vs., 131–132
  - cryotherapy in, 132
  - heat therapy in, 134–135
  - massage therapy in, 135–136

Physical medicine (*continued*)
        pain evaluation in, 131–132
        specific injuries and, 136–138
        summary overview of, 131, 138
        therapeutic exercise in, 134
        therapeutic laser in, 133–134
        with head tilt, 138
        with head trauma, 138
        with neurologic injuries, 133–134, 137–138
        with orthopedic injuries, 133–134, 136–137
Physiologic implications, unique, of analgesia, in ferrets, 108–109
            in rodents, 84
Physiologic indicators/consequences, of pain, in animals, 81–82
        in ferrets, 107
        in rabbits, 95
        untreated, 93–94
    of stress, in fish, 22–23, 25–26
        in rodents, 81–82
    of tramadol, 118
Piroxicam, for pain, in avians, 74–75
            PK and PD studies of, 67
PK. See *Pharmacokinetic (PK) studies.*
PK-PD modeling, for potency and efficacy, 16–17
        advantage of, 17
        data extrapolation between species in, 17
Placebo-controlled clinical trials, on analgesia, 3
Plasma drug concentration, mathematical models to predict, 4. See also *Pharmacokinetic (PK) studies.*
    study designs for evaluating, 2–4
Population pharmacokinetic analysis, 10
Postoperative analgesia. See *Surgery.*
Potency, in pharmacodynamic studies, 14–15
        pharmacokinetic studies integrated with, 16–17
Preemptive (preventive) analgesia, for avian, 63, 68
    for ferrets, 108
    for reptiles, 46
    for rodents, 88
Pregnancy, acupuncture cautions during, 147
Proprioception exercises, for zoologic companion animals, 134
Prostaglandins, COX-1 and COX-2 inhibitors impact on, 72–73, 85, 109

R

Rabbit analgesia, **93–104**
    pain and, α2-adrenergic agonists in, 100
        acupuncture in, 148–149, 151
        local anesthetics in, 99–100
        miscellaneous drugs in, 100–101
        nociception in, 94, 96
        nonpharmacologic management of, 96
        NSAIDs in, 97, 99

    - opioids in, 96–99
    - physiology of, 93–94
    - recognition of, 94–96
    - summary overview of, 93, 101
    - systemic drugs in, 96–97
    - therapeutic approaches to, 96
    - tramadol in, 126
    - untreated pain vs., 93–94
- Radioimmunoassay (RIAs), in pharmacokinetic studies, 8
- *Rana pipiens,* analgesia for, clinical applications of, 38–39
    - hypothermia in, 39
    - nonopioid studies in, 37–38
    - opioid studies in, 36–37
- Randomization, in controlled clinical trials, on analgesia, 3
- Range of motion therapy, for zoologic companion animals, 134
- Rats, analgesia for, acupuncture in, 151
    - tramadol in, 126
  - pain assessment of, 83–84
- Regional anesthesia, for pain, in avians, 75–76
- Rehabilitation, for zoologic companion animals, **131–140**
    - analgesia vs., 131–132
    - cryotherapy in, 132
    - heat therapy in, 134–135
    - massage therapy in, 135–136
    - pain evaluation in, 131–132
    - specific injuries and, 136–138
    - summary overview of, 131, 138
    - therapeutic exercise in, 134
    - therapeutic laser in, 133–134
    - with head tilt, 138
    - with head trauma, 138
    - with neurologic injuries, 133–134, 137–138
    - with orthopedic injuries, 133–134, 136–137
- Remifentanil, for pain, in amphibians, 37
- Reptiles, analgesia in, **45–60**
    - acupuncture in, 150–151
    - classes of drugs for, 51
    - clinical approaches to, 45–46
    - local anesthetics in, 53–55
    - NSAIDs in, 55–56
    - opioids in, 51–54
    - other agents in, 53, 56
    - pain and, assessing, 46
        - behavioral evidence of, 45–48
        - challenges of studying, 46–49
        - nociception and, 45, 47
    - route of administration of, 50–51
    - species overview of, 49–50
    - summary overview of, 50, 56
    - therapeutic approaches to, 50
    - tramadol in, 124–125

Rescue therapy, acupuncture as, 150–151
Respiratory depression, tramadol causing, 118
Risk-benefit ratio, of analgesia, for amphibians, 39
Rodent analgesia, **81–92**
    additional concerns about, 90
    laboratory models of, in pharmacodynamic studies, 14
        pet populations vs., 89
        study relevance of, 89
        translations to clinical pain, 89
    pain and, assessment of, 82–84
        constant-rate infusions in, 89
        epidural administration in, 89
        inhaled anesthesia in, 88
        local anesthetics in, 88
        multimodal administration in, 88
        NSAIDs in, 85–88
        opioids in, 85–87
        preventive (preemptive), 88
        recognition of, 81–82
        systemic agents in, 84–88
        tramadol in, 126
    summary overview of, 81
    therapeutics in, 84–89
    unique physiology of, 84
Rodent models, in pharmacodynamic studies, 14
        pet populations vs., 89
        relevance of, 89
        translations to clinical pain, 89

S

Safety, of acupuncture, 147
    of complementary and alternative medicine, 142, 147
    of tramadol, 118
Selective serotonin reuptake inhibitors, tramadol interaction with, 119
Sensory pathways, acupuncture impact on, 146
    for pain. See *Nociception.*
Serotonin, acupuncture impact on, 146
    tramadol action on, 117–119
        zoologic species and, 123
Social considerations, in pain management, for rabbits, 96
Social evidence, of pain, in ferrets, 106–107
        in rabbits, 95
        in rodents, 82–83
Sodium salicylate, for pain, in avians, PK and PD studies of, 66, 72
Somatic nervous system, in fish, 23–24
Sports medicine, acupuncture in, 150
Stability exercises, for zoologic companion animals, 134
Standard 2-stage (STS) method, for pharmacokinetic studies, 9
Steroids, stress and, in fish, 22
Stimuli. See *Noxious stimuli.*

Strengthening exercises, for zoologic companion animals, 134
Stress, pain as. See *Pain entries.*
  response to, in amphibians, 34–35
    in avians, 61–63
    in fish, 22–23
    in rabbits, 94
    in reptiles, 47–49
    in rodents, 81–82, 88
Subjective indicators, of pain. See *Behavioral evidence.*
Surgery, analgesia for, acupuncture in, 151
    cryotherapy as, 132
    in amphibians, 38–39
    in avians, 63, 68
    in ferrets, 106–108
    in rabbits, 94–96
    in reptiles, 46
    in rodents, 88
  wound healing in, therapeutic laser for, 133–134
Sympathetic nervous system, in fish, 23–24

T

Temperature stimulation model, in pharmacodynamic studies, 14–15
Terminal diseases, acupuncture for, 150–151
Terminal half-life ($T_{1/2}$), in pharmacokinetic studies, 4–6
Therapeutic cold, for amphibians, 39
  for zoologic companion animals, 132
Therapeutic drugs, analgesic. See *Analgesia.*
  clinical data interpretation for, **1–20**. See also *Pharmacodynamic (PD) studies; Pharmacokinetic (PK) studies.*
Therapeutic exercise, for zoologic companion animals, 134
Therapeutic heat, for zoologic companion animals, 134–135
Therapeutic laser, for zoologic companion animals, 133–134
Therapeutic massage, for zoologic companion animals, 135–136
Thermal threshold testing, in reptiles, 47, 49
Tiletamine, for pain, in ferrets, 113
Time to CMAX (TMAX), in pharmacokinetic studies, 4, 7–8
Toxicology studies, of analgesia, in clinical trials, 4
Traditional Chinese Medicine (TCM), for humans, 144–145
Traditional Chinese Veterinary Medicine (TCVM), 144–145, 150
Training, for complementary and alternative veterinary medicine, 143, 147
Tramadol, **117–130**
  for pain, in avians, 76, 125
    in domestic animals, camels, 122
      cats, 121
      dogs, 119–121
      donkeys, 122
      goats, 121–122
      horses, 122–123
      llamas, 122
    in ferrets, 110, 112

Tramadol (*continued*)
    in fish, 27–28, 124
    in humans, 119
    in rabbits, 101
    in reptiles, 52, 54, 124–125
    in rodents, 86–87
    in zoologic species, 123–126
        administration methods for, 123–124
        amphibians, 124
        birds, 76, 125
        fish, 27–28, 124
        mammals, 125–126
        need for, 117
        reptiles, 52, 54, 124–125
        studies on, 123
    mechanism of action of, 117–119
    preparations of, 119
    side effects of, 118
Transpositional acupuncture, 145
Trauma, analgesia for, cryotherapy as, 132
    in amphibians, 38–39
    in avians, 68
    in rabbits, 93–94, 96
  rehabilitation and physical medicine for, head trauma, 138
    neurologic injuries, 133–134, 137–138
    orthopedic injuries, 133–134, 136–137
    therapeutic laser as, 133–134
Trigger points, acupuncture and, 145

U

U50488H, for pain, in amphibians, 37
Urinary incontinence, acupuncture for, 151

V

Volume of distribution (V_d), in pharmacokinetic studies, 4–5

W

Wound healing, therapeutic laser for, 133–134

X

Xylazine, for pain, in amphibians, 39
    in reptiles, 53
  PK-PD modeling of, species-specific differences in, 17

Z

Zoologic companion animals, therapeutics for, acupuncture as, **141–154**. See also *Acupuncture.*
  analgesic agents as. See *Analgesia; specific species.*
  rehabilitation and physical medicine as, **131–140**. See also *Physical medicine; Rehabilitation.*
  studies of, **1–20**. See also *Pharmacodynamic (PD) studies; Pharmacokinetic (PK) studies.*
  tramadol as, **117–130**. See also *Tramadol.*